

Bruce S. Weintraub  
Senior Intellectual Property Counsel  
Becton, Dickinson and Company  
1 Becton Drive  
Mail Code 089  
Franklin Lakes, New Jersey 07417-1880  
tel: 201-847-7098  
fax: 201-847-5377  
www.bd.com



Helping all people  
live healthy lives

Fax

Attention: Delora  
From: Bruce Weintraub  
Date: January 26, 2004  
Fax number: 703-305-9822  
Company: USPTO

Number of Pages (including this cover):

If you do not receive all of the pages, please call Nicole McRae at 201-847-5266

**Confidential**

The pages accompanying this transmission contain or may contain information from BD (Becton, Dickinson and Company) which is confidential, proprietary and/or legally privileged. The information is intended only for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this transmission is strictly prohibited, and the pages received by you are to be destroyed immediately. In this regard, please notify the sender of this transmission that you have received the transmission in error and have destroyed the pages sent.

If you do not receive all of the pages, please call as soon as possible, via direct fax line indicated above or by telephone to the sender indicated above.


Becton, Dickinson and Company

BSW

The Return of this post card, Properly stamped, will acknowledge receipt in the Patent & Trademark Office of the following:

- 1.- Notice to File Missing Parts of NonProvisional Application
- 2.- Fee Transmittal for FY 2002 (PTO/SB/17)
- 3.- Petition For Extension of Time Under 37 CFR 1.136(a)
- 4.- Declaration
- 5.-

Docket No.: P-2776P1P1P1 Serial No.: 09 / 966,505  
Filing Date: September 28, 2001 Date Mailed: 2-28-02  
Applicant(s) Keith Atty: NST  
Title: Methods For Improving Sensitivity of Oxygen Biosensors  
Fee: \$530.00 Charged to Deposit Account 02-1666



MAR 19 2002

**PATENT**  
**P-2776P1P1P1**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

APPLICANT(S): S.C. Keith

SERIAL NO.: 09/966,505

GROUP:

FILING DATE: September 28, 2001

EXAMINER:

FOR: METHODS FOR IMPROVING SENSITIVITY OF OXYGEN  
BIOSENSORS

The Assistant Commissioner of Patents  
Washington, D.C. 20231

Sir:

|  |                     |
|--|---------------------|
| I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING<br>DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS<br>FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO:<br>COMMISSIONER OF PATENTS AND TRADEMARKS, WASHINGTON,<br>D.C. 20231 |                     |
| ON: <u>February 28, 2002</u>   | (DATE OF DEPOSIT)   |
| BY: <u>Donna M. Baumann</u>  | (NAME OF DEPOSITOR) |
| <u><i>Donna M. Baumann</i></u>   | <u>2-29-02</u>      |
| (SIGNATURE)  | (DATE)              |

**TRANSMITTAL OF MISSING PARTS**

This communication is in response to the Notice to File Missing Parts of Application dated October 29, 2001. The missing part of the application was designated as the Declaration and Power of Attorney for Patent Application. Enclosed is a Declaration and Power of Attorney for Patent Application fully executed by the named inventor(s). Kindly charge Deposit Account No. 02-1666 for the surcharge of \$130.00 in accordance with 37 CFR 1.16(e).

Respectfully submitted,



Bruce S. Weintraub  
Attorney for Applicants  
Reg. No. 34,277

Becton, Dickinson and Company  
1 Becton Drive  
Franklin Lakes, New Jersey 07417  
201-847-7096  
February 28, 2002